

*World Best Quality*

# **Ice Cream Machine**



ISI-271SHSN

ISI-161TH

ISI-273SHLN

# WORLD NO.1 QUALITY OF MINI ICE CREAM MACHINE

**NEW**



ISI-161TH

ISI-161T/TI



LCD display panel



Agitator



Air Flow-Out from Top

## Exterior

Dimension	Net.		Gross.	
	mm	inch	mm	inch
Width	300	11.8	400	15.7
Depth	775	30.5	850	33.4
Height	750	29.5	850	33.4

Weight	Net.		Gross.	
	kgs	lbs	kgs	lbs
	89	196	108	238



### Freezing Cylinder

- One, 1.6liter(0.42gallon) x 1EA



### Direct Motor Drive

- Less noise & Less vibration



### Mix Hopper

- 3liter(0.79 gallon)
- Maintain in the temp of mix under 5°C (41°F) in Auto & Standby mode



### Agitator

- To keep mix in a steady temperature & to prevent a liquid separation of the mix



### Heat Treatment System(Pasteurization System)

- Pasteurization involves heating dairy products for a period of time to kill bacteria, maintaining dairy products to 2 weeks.

Only ISI-161TH

# THE NEW TABLE & STAND TYPE ICE CREAM MACHINE

**NEW**



ISI-163TT(P)



ISI-163ST

## ISI-163TT(P)

### Exterior

Dimension	Net.			
	ISI-163TT		ISI-163TTP	
	mm	inch	mm	inch
Width	510	20.1	510	20.1
Depth	745	29.3	885	35
Height	800	31.5	893	35.2

Weight	Net.			
	ISI-163TT		ISI-163TTP	
	kgs	lbs	kgs	lbs
	179	394	195	430

## ISI-163ST

### Exterior

Dimension	Net.		Gross.	
	mm	inch	mm	inch
Width	510	20.1	610	24
Depth	745	29.3	845	33.3
Height	1,470	57.8	1,660	65.3

Weight	Net.		Gross.	
	kgs	lbs	kgs	lbs
	190	419	206	454



Lid Stopper



Agitator



Pump

\* 163TT : Gravity Model

\* 163TTP : Air pump Model

## Voltage of ISI-163TT(P) & ISI-163ST

Voltage	208~230V / 60Hz / 1Ph
	220~240V / 50Hz / 1Ph

## TABLE & STAND TYPE ICE CREAM MACHINE



**SSI-151TG**



**ISI-203SN(P)\***



**ISI-303SNA(P)\***

### Single Flavor

### Two Flavors & One Twist

	SSI-151TG	ISI-203N(P)*	ISI-303SNA(P)*
<b>Dimension</b>	404x730x695 (mm) 15.9x28.7x27.3(inch)	530x830x1,435 (mm) 20.8x32.6x56.5(inch)	668x891x1,456(mm) 26.3x35x87.3(inch)
<b>Weight</b>	95kg(202.8lbs)	266kg(586.4lbs)	330kg(728lbs)
<b>Voltage</b>	208~230V / 60Hz / 1Ph 220~240V / 50Hz / 1Ph	208~230V / 60Hz / 1Ph 220~240V / 50Hz / 1Ph 208~230V / 60Hz / 3Ph 380~420V / 50Hz / 3Ph	208~230V / 60Hz / 3Ph 380V / 60Hz / 3Ph 380~420V / 50Hz / 3Ph

\* 203SNP : Air pump Model

\* 303SNAP : Air pump Model



### Luxurious & Simple Design

Touch screen button and simplified display match with any interior design.



### Easy Control



### (P)\*Model has Air Pump System

Air Pump increases over-run which makes Soft Serve Ice Cream much smoother and softer.

# NEW TREND! SPAGHETTI ICE CREAM!



**Single Flavor**

**ISI-322ST**

**Dimension** 472x809x820(mm) 18.6x31.9x32.2(inch)

**Weight** 133.5Kg(294.3lbs)

**Voltage** 208~230V / 60Hz / 1Ph  
220~240V / 50Hz / 1Ph

## 2WAY CONFIGURATION

Available on both spaghetti shape & normal shaped soft ice cream



ISI-322ST



# High Production Capacity of Machine

**NEW**



ISI-321TA (ISI-300TA)



## Powerful Production Capacity

Oversized compressor cuts down on production time.



## Mass Storage Capacity

The Large Mix Hopper & Cylinder can serve Soft Ice Cream & Frozen Yogurt continuously.



## Agitator

Quick Cooling  
Prevents separation of liquids.



## Direct Motor Drive

Less noise and Less vibration



**Single Flavor**

**ISI-321TA (ISI-300TA)**

**Dimension** 462x840x850(mm) 18.2x33.1x33.5(inch)

**Weight** 143.5Kg(308.65lbs)

**Voltage** (ISI-300TA) 208~230V / 60Hz / 1Ph  
(ISI-321TA) 220~240V / 50Hz / 1Ph



# HEAT TREATMENT ICE CREAM MACHINE



ISI-301TH(P)\*



**Single Flavor**

ISI-301TH(P)\*

**Dimension** 462x840x850(mm) 18.2x33.1x33.5(inch)

**Weight** 143.5Kg(308.65lbs)

**Voltage** 208~230V / 60Hz / 1Ph  
220~240V / 50Hz / 1Ph

\* ISI-301TH : Gravity model

\* ISI-301THP : Air Pump model



## Powerful Production Capacity

Oversized compressor cuts down on production time.



## Mass Storage Capacity(17.5 Liter / 4.62gallon)

The Large Mix Hopper & Cylinder can serve Soft Ice Cream & Frozen Yogurt continuously.



## Agitator

Quick Cooling  
Prevents separation of liquids.



## Direct Motor Drive

Less noise and Less vibration



## Heat Treatment System(Pasteurization System)

Pasteurization involves heating dairy products for a period of time to kill bacteria, maintaining dairy products up to two weeks. You can also choose an automatic or manual pasteurization system.



## Defrost Function

Save cleaning time.



## (P)\*Model has Air Pump System

Air Pump increases over-run which makes Soft Serve Ice Cream much smoother and softer.



ISI-271THN(P)

ISI-273SHLN(P)

\* ISI-271THN : Gravity Model

\* ISI-271THP : Air Pump Model

\* ISI-273SHLN : Gravity Model

\* ISI-273SHLNP : Air Pump Model



## Direct Motor Drive

Less noise and Less vibration



## Heat Treatment System(Pasteurization System)

Pasteurization involves heating dairy products for a period of time to kill bacteria, maintaining dairy products up to two weeks. You can also choose an automatic or manual pasteurization system.



## Agitator

Quick Cooling  
Prevents separation of liquids.



## (P)\*Model has Air Pump System

Air Pump increases over-run which makes Soft Serve Ice Cream much smoother and softer.



**Single Flavor**



**Two Flavors & One Twist**

ISI-271THN(P)

ISI-273SHLN(P)

**Dimension** 380x790x917(mm) 14.9x31.1x36.1(inch) 530x832x1,500(mm) 20.8x32.7x59(inch)

**Weight** 132.5Kg(330.6lbs) 237Kg(522.4lbs)

**Voltage** 208~230V / 60Hz / 1Ph 380~420V / 50Hz / 3Ph  
220~240V / 50Hz / 1Ph 380V / 60Hz / 3Ph  
208~230V / 60Hz / 3Ph

# AUTOMATIC ICE CREAM VENDING MACHINE

## Self Serve Ice Cream Machine 1 Flavor with Coin/Token Mechanism System



ISI-271SHSN

ISI-271THSN



### Heat treatment function

No need to clean every day  
(cleaning cycle per 2 weeks)



### Various Functions

Defrost/Regeneration/Boiling



### Agitator

For quick cooling &  
Prevents separation of liquids



### Coin/Token Device

Various currency of coin/token  
is optional



### Single Flavor

	ISI-271 THSN	ISI-271 SHSN
<b>Dimension</b>	380x842x917(mm) 14.9x33.1x36.1(inch)	380x842x1,390(mm) 14.9x33.1x54.7(inch)
<b>Weight</b>	142kg(313lbs)	164kg(362lbs)
<b>Voltage</b>	208~230V / 60Hz / 1Ph 220~240V / 50Hz / 1Ph	

## Self Serve Ice Cream Machine - 3 Flavors - NEW



### Revolution of Self Serve Ice Cream Machine



### Two Flavors & One Twist

ISI-273SH3S

<b>Dimension</b>	668x981x1595(mm) 26.3x38.6x62.8(inch)
<b>Weight</b>	284.5kg(627.2lbs)
<b>Voltage</b>	208~230V / 60Hz / 3Ph 380~420V / 50Hz / 3Ph 380V / 60Hz / 3Ph

Other functions are the same with ISI-271 THS/SHS



### Defrost Function

Save deaning time.



### Heat Treatment System

(Pasteurization System)



### Direct Motor Drive

Less noise and Less vibration



### Agitator

Quick Cooling  
Prevents liquid seperation.



### Various Functions

Defrost / Regeneration  
/ Boiling Function

**NEW****ISI-161T/TI/TH**

Mix Hopper Capacity	3liter(0.79gallon)
Cylinder Capacity	1.6liter(0.42gallon) x 1EA
Power consumption	1,400W
Dasher Motor	0.35KW
Maximum Production	12Kg(26.45lbs/h)
First Dispensing Time	6~9min
Consecutive Dispensing	5cups(100cc/ 3.5oz)
Compressor-Cylinder	0.85HP(R404A)
Compressor-Mix Hopper	None

**NEW****ISI-163TT**

Mix Hopper Capacity	5.5liter(1.45gallon) x 2EA
Cylinder Capacity	1.6liter(0.42gallon) x 2EA
Power consumption	2,700W
Dasher Motor	0.35KW
Maximum Production	24Kg(52.91lbs/h)
First Dispensing Time	6~8min
Consecutive Dispensing	∞cups(100cc/ 3.5oz)
Compressor-Cylinder	0.85HP x 2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)

**ISI-151TG**

Mix Hopper Capacity	10liter(2.64gallon)
Cylinder Capacity	1.4liter(0.37gallon)
Power consumption	1,370W
Dasher Motor	0.37KW
Maximum Production	16Kg(35.27lbs/h)
First Dispensing Time	6~9min
Consecutive Dispensing	5~6cups(100cc/ 3.5oz)
Compressor-Cylinder	0.85HP(R404A)
Compressor-Mix Hopper	0.35HP(R134a)

**NEW****ISI-163TTP**

Mix Hopper Capacity	12.5liter(3.3gallon) x 2EA
Cylinder Capacity	1.6liter(0.42gallon) x 2EA
Power consumption	2,700W
Dasher Motor	0.35KW
Maximum Production	24Kg(52.91lbs/h)
First Dispensing Time	6~8min
Consecutive Dispensing	∞cups(100cc/ 3.5oz)
Compressor-Cylinder	0.85HP x 2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)

**Heat Treatment****ISI-271THN**

Mix Hopper Capacity	9.5liter(2.61gallon)
Cylinder Capacity	2.7liter(0.72gallon)
Power consumption	2,170W(PUMP:Ad d 200W)
Dasher Motor	0.75KW
Maximum Production	21Kg(46.3lbs/h)
First Dispensing Time	7~11min
Consecutive Dispensing	8~10cups(100cc/ 3.5oz)
Compressor-Cylinder	1.5HP(R404A)
Compressor-Mix Hopper	None

**ISI-321TA**

Mix Hopper Capacity	17.5liter(4.62gallon)
Cylinder Capacity	3.2liter(0.85gallon)
Power consumption	2,000W
Dasher Motor	0.75KW
Maximum Production	30Kg(66.14lbs/h)
First Dispensing Time	8~10min
Consecutive Dispensing	20~24cups(100cc/ 3.5oz)
Compressor-Cylinder	1.77HP(R404A)
Compressor-Mix Hopper	None

**ISI-322ST**

Mix Hopper Capacity	17.5liter(4.62gallon)
Cylinder Capacity	3.2liter(0.85gallon)
Power consumption	2,170W
Dasher Motor	0.75KW
Maximum Production	30Kg(66.14lbs/h)
First Dispensing Time	8~10min
Consecutive Dispensing	20~24cups(100cc/ 3.5oz)
Compressor-Cylinder	1.2HP(R404A)
Compressor-Mix Hopper	0.35HP(R134a)

**Heat Treatment****ISI-301TH(P)\***

Mix Hopper Capacity	17.5liter(4.6264gallon)
Cylinder Capacity	3.2liter(0.85gallon)
Power consumption	2,000W(PUMP:Ad d 200W)
Dasher Motor	0.75KW
Maximum Production	30Kg(66.14lbs/h)
First Dispensing Time	8~10min
Consecutive Dispensing	20~24cups(100cc/ 3.5oz)
Compressor-Cylinder	1.77HP(R404A)
Compressor-Mix Hopper	None

**NEW****ISI-163ST**

Mix Hopper Capacity	5.5liter(1.45gallon) x 2EA
Cylinder Capacity	1.6liter(0.42gallon) x 2EA
Power consumption	2,700W
Dasher Motor	0.35KW
Maximum Production	24Kg(52.91lbs/h)
First Dispensing Time	6~8min
Consecutive Dispensing	∞cups(100cc/ 3.5oz)
Compressor-Cylinder	0.85HP x 2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)

**ISI-203SN(P)\***

Mix Hopper Capacity	10liter(2.64gallon) x 2EA
Cylinder Capacity	2.7liter(0.72gallon) x 2EA
Power consumption	4,500W
Dasher Motor	0.75KW x 2EA
Maximum Production	42Kg/h(92.6lbs/h)
First Dispensing Time	7~11min
Consecutive Dispensing	16~40cups(100cc/ 3.5oz)
Compressor-Cylinder	1.3HP x 2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)

**ISI-303SN(P)\***

Mix Hopper Capacity	17.9liter(4.64gallon) x 2EA
Cylinder Capacity	3.4liter(0.85gallon) x 2EA
Power consumption	6,050W
Dasher Motor	0.75KW x 2EA
Maximum Production	68Kg/h(149.91lbs/h)
First Dispensing Time	8~10min
Consecutive Dispensing	50~90cups(100cc/ 3.5oz)
Compressor-Cylinder	2.0HP x 2EA(R404A)
Compressor-Mix Hopper	0.35HP(R134a)

**Heat Treatment****ISI-273SHLN(P)**

Mix Hopper Capacity	9.5liter(2.61gallon) x 2EA
Cylinder Capacity	2.7liter(0.72gallon) x 2EA
Power consumption	4,200W
Dasher Motor	0.75KW x 2EA
Maximum Production	42Kg(92.59lbs/h)
First Dispensing Time	7~11min
Consecutive Dispensing	∞cups(100cc/ 3.5oz)
Compressor-Cylinder	1.5HP(R404A) x 2EA
Compressor-Mix Hopper	None

**Heat Treatment****ISI-273SH3S**

Mix Hopper Capacity	17.5liter(4.62gallon) x 2EA
Cylinder Capacity	2.7liter(0.72gallon) x 2EA
Power consumption	4,300W(PUMP:Ad d 200W)
Dasher Motor	0.75KW x 2EA
Maximum Production	12.8Kg(28.2lbs/h)
First Dispensing Time	7~10min
Consecutive Dispensing	15~40cups(100cc/ 3.5oz)
Compressor-Cylinder	1.5HP(R404A) x 2EA
Compressor-Mix Hopper	None

**Heat Treatment****ISI-271THSN/SHSN**

Mix Hopper Capacity	12.3liter x 1EA
Cylinder Capacity	2.7liter x 1EA
Power consumption	2,200W
Dasher Motor	0.75KW
Maximum Production	21Kg(46.29lbs/h)
First Dispensing Time	7~11min
Consecutive Dispensing	∞cups
Compressor-Cylinder	1.5HP x 1EA(R404A)
Compressor-Mix Hopper	None





ICETRO.COM

## Pride of No.1 brand in Korea

We are committed to providing first-class equipment and excellent customer service.

The ICETRO brand stands for the best quality and the best value-it is our platform and we will strive to continue upward in making it a true brand name around the world.

“The best value of soft serve ice cream machine, slush machine and ice maker ”



**SIMPLICITY**



**RELIABILITY**



**PERFORMANCE**



LISTED



### SINCE 1981 - ARTISAN SPIRIT

Ice Cube Machine  
Ice Cream Machine  
Slush Machine

54-7 Road, Gumdan-Ro, Seo-ku, Incheon, Korea  
TEL : +82-32-814-2160 FAX : +82-32-814-1798  
Website : www.icetro.com  
E-mail : sales@icemaker.co.kr

Distributed by :

